

PRINTER RUSH
(PTO ASSISTANCE)

Plant
S.F

Application : <u>10/016,068</u>	Examiner : <u>Locker</u>	GAU : <u>1661</u>
From: <u>LCD</u>	Location: IDC <u>FME</u> FDC	Date: <u>12/15/4</u>
Tracking #: <u> </u>		Week Date: <u> </u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input checked="" type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: ① PTOL-85b - Incorrect
fee code
This is a Plant application
Fee code should be 2503
and not 2501.
Please resolve
Thank you

[XRUSH] RESPONSE: AR

INITIALS: AR

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04